




CUSTOMISED



True ergonomic customisation results in a better fit. Set steeper and deeper for correct ergonomic positioning. Using the patented True-Fit system, each pair is made unique to the individual. There are no standard angles, working distances, pupillary distances, or drill heights.







CAPTURE ANALYSE BUILD





F-2.5x F-3.0x F-3.5x

Power	Model Number	Field Of View	Weight
2.5x	F-2.5TTL	7–10cm	43.0g
3.0x	F-3.0TTL	5–8cm	44.0g
3.5x	F-3.5TTL	3–4cm	47.5g

P-3.5x P-4.0x P-4.5x

Power	Model Number	Field Of View	Weight
3.5x	P-3.5TTL	8–10cm	53.0g
4.0x	P-4.OTTL	7–8cm	54.0g
4.5x	P-4.5TTL	4–5cm	58.0g





Radiant™ Pure Porta	diant [™] Pure Portable LED Light System information Radiant [™] Light systems				to fit <u>ALL</u> loupe brands
Weight	Headlight: 5.61g Battery: 184g		Light Intensity	4352 FC 100 Lumens	
Battery Type	Li-ion 3.6v				47,000Lux*
Battery Life (by intensity)	Low: 40+hours	Med: 15–16 hours	High: 8+ hours	Spot Size	2.22 Inches*
Battery Charge Time	4.5 hours (empty to full)		Colour Temperature	5700 at 90 CRI	

DESIGN YOUR LOUPES



Pewter



Slate Grey



Gunmetal Grey



White



Black



Cherry



Copper



Hot Pink



Lilac Pearl



Pearl Pink



Blue Jean



Cayenne Red



SIZES

Elipse-ti





150

Classic Q-877



SIZES

54





Revival Q-879



SIZES



53)





Magnifications	Galilean	Prismatic
2.5x	•	
3.0x	•	
3.5x	•	•
4.0x		•
4.5x		•

Find your perfect pair with our virtual try-on



Virtual Try-On






REMOVABLE RX

For Eclipse-Ti only (Q-877 & Q-879 have integrated RX)

Ability to wear contacts and glasses

No down time with change in RX



#SWALLOWDENTAL #GOTLOUPED #HAVEABETTERLOOK #Q-OPTICS







Made in USA



Loupes & LED Lighting

5 Marrtree Business Park, Ryefield Way, Silsden, BD20 OEF



@swallowdentalhygene @swallowdental



swallow_dental